

# Installation on Other Operating Systems

*Qosium Probe can be installed to a large number of different operating systems. Below you can see instruction for some of them. Kaitotek will provide you with more instructions regarding these operating systems upon delivery.*

## Table of Contents

|  |   |
|--|---|
| 1. MacOS .....                             | 3 |
| 2. Equipment of Axis Communications© ..... | 3 |
| 3. Other Linux Systems & FreeBSD .....     | 3 |

## 1. MacOS

Qosium Probe installer is provided as a DMG, mountable disk image, file. Installation happens over a graphical window by drag and dropping Qosium Probe to *Applications* directory.

## 2. Equipment of Axis Communications©

Qosium Probe is provided as an official Axis software installation package. The installation is carried out by using the standard software installation mechanisms of Axis.

## 3. Other Linux Systems & FreeBSD

Qosium Probe is provided as a *tar.gz* package, typically named as `QosiumProbe_<version_details>.tar.gz`, where the `<version_details>` part depends on version to another and may contain many identifiers.

First, extract the tar.gz package in a command line interface:

```
tar -zxvf QosiumProbe_<version_details>.tar.gz
```

Then, go into the extracted directory by typing:

```
cd QosiumProbe
```

Run the install script as root:

```
./install-QosiumProbe.sh
```

The Qosium Probe files can then be found from `/opt/QosiumProbe/`.